Specifications





TeSys Deca & TeSys U - terminal block - 3P - from the top

GV1G09



Main

Range	Linergy	
Product name	FT	
Device short name	GV1G	
Product or component type	Terminal block	
Accessory / separate part category	Connection accessory	
Poles description	3P	
Range compatibility	TeSys GV2 TeSys D TeSys Deca TeSys U TeSys LS1	

Complementary

[le] rated operational current	63 A
Mounting location	Тор
IP degree of protection	IP20 conforming to IEC 60529
[Ui] rated insulation voltage	690 V conforming to IEC 60947-1
Connections - terminals	Screw clamp terminals 1 solid AWG 4 Screw clamp terminals 1 cable(s) 1.516 mm² flexible with cable end Screw clamp terminals 1 cable(s) 1.516 mm² flexible without cable end Screw clamp terminals 1 cable(s) 1.525 mm² solid Screw clamp terminals 2 cable(s) 1.54 mm² flexible with cable end Screw clamp terminals 2 cable(s) 1.56 mm² solid Screw clamp terminals 2 cable(s) 1.54 mm² flexible without cable end Screw clamp terminals 1 flexible AWG 4
Tightening torque	1.7 N.m - on screw clamp terminals 2.2 N.m - on connector
Net weight	0.04 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	48.0 g
Package 1 Height	4 cm
Package 1 width	5 cm

Package 1 Length	5.5 cm	
Unit Type of Package 2	P06	
Number of Units in Package 2	1120	
Package 2 Weight	68.18 kg	
Package 2 Height	77 cm	
Package 2 width	80 cm	
Package 2 Length	60 cm	
Unit Type of Package 3	S02	\ /
Number of Units in Package 3	70	
Package 3 Weight	3.678 kg	
Package 3 Height	15 cm	
Package 3 width	30 cm	
Package 3 Length	40 cm	

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months			
----------	-----------	--	--	--



Dimensions Drawings

Sets of Busbars GV2G with Terminal Block GV1G09

