Specifications



Kit for assembling 3P reversing contactors, LC1D09-D38 with screw clamp terminals, without electrical interlock

LAD9R1

Main

Range Of Produc	TeSys Deca	
Range	TeSys Linergy	
Device Short Name	LAD9	
Product Or Component Type	Kits for reversing contactor	
Poles Description	3P	
Range Compatibility	TeSys TeSys D contactor TeSys TeSys Deca	
Product Compatibility	LC1D09 LC1D12 LC1D18 LC1D25 LC1D32 LC1D38	

Complementary

Kit Composition	Mechanical interlock Set of power connection	
Net Weight	0.045 kg	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.712 cm
Package 1 Width	3.715 cm
Package 1 Length	8.810 cm
Package 1 Weight	61.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.400 cm
Package 2 Width	10.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	636.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	140

Package 3 Height	30.000 cm	
Package 3 Width	30.000 cm	
Package 3 Length	40.000 cm	
Package 3 Weight	9.350 ka	\ /

Contractual warranty

Warranty 18 months



Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information Yes	

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

