

Product datasheet

Specifications



LAD9V2

Mechanical interlock, TeSys D contactors LC1D09-D38 LC1DT20-DT40

Main

Range Of Product	TeSys Deca
Range	TeSys
Device Short Name	LAD9
Product Or Component Type	Mechanical interlock
Accessory / Separate Part Category	Interlocking accessory
Interlocking Type	Mechanical
Poles Description	3P 4P
Electrical Circuit Type	Reversing Changeover
Range Compatibility	TeSys TeSys D contactor
Product Compatibility	LC1D09 LC1D12 LC1D18 LC1D25 LC1D32 LC1D38 LC1DT20 LC1DT25 LC1DT32 LC1DT40

Complementary

Net Weight	0.04 kg
------------	---------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2 cm
Package 1 Width	8 cm
Package 1 Length	11.1 cm
Package 1 Weight	10 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	10 cm
Package 2 Length	15.2 cm

Package 2 Weight	138 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	140
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	2.359 kg

Contractual warranty

Warranty	18 months
----------	-----------



Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Circularity Profile

No need of specific recycling operations